


FORM-PTO-1390 (Rev. 10-96)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 017753-128	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5) Una: 09/601019	
INTERNATIONAL APPLICATION NO. PCT/FR00/00065		INTERNATIONAL FILING DATE 14 January 2000		PRIORITY DATE CLAIMED 14 January 1999	
TITLE OF INVENTION COMPOSITION FOR TREATING OBESITY AND ESTHETIC TREATMENT PROCESS					
APPLICANT(S) FOR DO/EO/US Max ROMBI					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.					
2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.					
3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and the PCT Articles 22 and 39(1).					
4. <input type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.					
5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2))					
a. <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau).					
b. <input checked="" type="checkbox"/> has been transmitted by the International Bureau.					
c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US)					
6. <input checked="" type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)).					
7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))					
a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau).					
b. <input type="checkbox"/> have been transmitted by the International Bureau.					
c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.					
d. <input checked="" type="checkbox"/> have not been made and will not be made.					
8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).					
9. <input checked="" type="checkbox"/> An <u>unexecuted</u> oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).					
10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).					
Items 11. to 16. below concern other document(s) or information included:					
11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98.					
12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.					
13. <input checked="" type="checkbox"/> A FIRST preliminary amendment.					
<input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment.					
14. <input type="checkbox"/> A substitute specification.					
15. <input type="checkbox"/> A change of power of attorney and/or address letter.					
16. <input checked="" type="checkbox"/> Other items or information:					
Copy of PCT Request (Form PCT/RO/101)					

U.S. APPLICATION NO. Unassigned 09/601019		INTERNATIONAL APPLICATION NO. PCT/FR00/00065		ATTORNEY'S DOCKET NUMBER 017753-128	
17. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS	PTO USE ONLY
Basic National Fee (37 CFR 1.492(a)(1)-(5)): Search Report has been prepared by the EPO or JPO \$840.00 (970) International preliminary examination fee paid to USPTO (37 CFR 1.482) \$670.00 (956) No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)) \$690.00 (958) Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$970.00 (960) International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) \$96.00 (962)					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$ 840.00	
Surcharge of \$130.00 (154) for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492(e)). 20 <input type="checkbox"/> 30 <input type="checkbox"/>				\$	
Claims	Number Filed	Number Extra	Rate		
Total Claims	20 -20 =	-0-	X\$18.00 (966)	\$ -0-	
Independent Claims	3 -3 =	-0-	X\$78.00 (964)	\$ -0-	
Multiple dependent claim(s) (if applicable)			+ \$260.00 (968)	\$ -0-	
TOTAL OF ABOVE CALCULATIONS =				\$ 840.00	
Reduction for 1/2 for filing by small entity, if applicable. Verified Small Entity statement must also be filed. (Note 37 CFR 1.9, 1.27, 1.28).				\$	
SUBTOTAL =				\$ 840.00	
Processing fee of \$130.00 (156) for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492(f)). 20 <input type="checkbox"/> 30 <input type="checkbox"/>				\$	
TOTAL NATIONAL FEE =				\$ 840.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 (581) per property +				\$	
TOTAL FEES ENCLOSED =				\$ 840.00	
				Amount to be: refunded	\$
				charged	\$
a. <input checked="" type="checkbox"/> A check in the amount of \$ <u>840.00</u> to cover the above fees is enclosed. b. <input type="checkbox"/> Please charge my Deposit Account No. <u>02-4800</u> in the amount of \$ _____ to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>02-4800</u> . A duplicate copy of this sheet is enclosed.					
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO:					
Norman H. Stepno BURNS, DOANE, SWECKER & MATHIS, L.L.P. P.O. Box 1404 Alexandria, Virginia 22313-1404			<div style="text-align: right;"> Reg. No. 40,373 </div> <div style="text-align: center;">  SIGNATURE </div> <div style="text-align: center;"> for Norman H. Stepno NAME </div> <div style="text-align: center;"> <u>22,716</u> REGISTRATION NUMBER </div>		
Date: <u>July 25, 2000</u>					

Patent
Attorney's Docket No. 017753-128

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)
Max ROMBI)
Application No.: Unassigned) Group Art Unit: Unassigned
Filed: July 25, 2000) Examiner: Unassigned
For: COMPOSITION FOR TREATING)
OBESITY AND ESTHETIC)
TREATMENT PROCESS)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination on the merits, please amend the above-identified application as follows:

IN THE CLAIMS:

Please amend claims 1-15 as follows:

1. (Amended) [Composition] A composition for the curative and prophylactic treatment of obesity, comprising an extract of green tea containing from 20% to 50% by mass of catechols expressed as epigallocatechol gallate (EGCG).

2. (Amended) [Composition] A composition according to Claim 1, [characterized in that] wherein the extract of green tea contains from 20% to 30% by mass of catechols expressed as epigallocatechol gallate (EGCG).

3. (Amended) [Composition] A composition according to [either of Claims] Claim 1 [and 2, characterized in that], wherein the extract of green tea contains from 5% to 10% by mass of caffeine.

4. (Amended) [Composition] A composition according to [one of Claims] Claim 1 [to 3, characterized in that], wherein the extract of green tea has a ratio of the concentration of catechols to the concentration of caffeine of between 2 and 10.

5. (Amended) [Composition] A composition according to [one of Claims] Claim 1 [to 4, characterized in that], wherein the extract of green tea is titrated so as to allow the administration of a daily dose of from 250 mg to 500 mg[, preferably about 375 mg,] of catechols per day, and from 50 mg to 200 mg[, preferably about 150 mg,] of caffeine per day.

6. (Amended) [Use of an extract or powder of green tea for the manufacture of] A method of manufacturing a medicinal product which has antilipase and/or thermogenic

properties, and which is intended for the curative and prophylactic treatment of obesity, comprising using an extract or powder of green tea.

7. (Amended) [Use] A method according to Claim 6, [characterized in that] wherein the extract of green tea contains from 20% to 50%[, preferably from 20% to 30%,] by mass of catechols expressed as epigallocatechol gallate (EGCG).

8. (Amended) [Use] A method according to [either of Claims] Claim 6 [and 7, characterized in that], wherein the extract of green tea contains from 5% to 10% by mass of caffeine.

9. (Amended) [Use] A method according to [one of Claims] Claim 6 [to 8, characterized in that], wherein the extract of green tea has a ratio of the concentration of catechols to the concentration of caffeine of between 2 and 10.

10. (Amended) [Use] A method according to [one of Claims] Claim 6 [to 9, characterized in that], wherein the extract of green tea is titrated so as to allow the administration of a daily dose of from 250 mg to 500 mg[, preferably about 375 mg,] of catechols per day, and from 50 mg to 200 mg[, preferably about 150 mg,] of caffeine per day.

11. (Amended) [Process] A method for the esthetic treatment of a human being in order to enhance his or her figure, [characterized in that it involves] wherein said method comprises the oral administration of a catechol-enriched extract of green tea in order to bring about a loss of weight or to maintain a weight level which is as low as desired.

12. (Amended) [Process] A method according to Claim 11, [characterized in that] wherein the extract of green tea contains from 20% to 50%[, preferably from 20% to 30%,] by mass of catechols expressed as epigallocatechol gallate (EGCG).

13. (Amended) [Process] A method according to [either of Claims] Claim 11 [and 12, characterized in that], wherein the extract of green tea contains from 5% to 10% by mass of caffeine.

14. (Amended) [Process] A method according to [one of Claims] Claim 11 [to 13, characterized in that], wherein the extract of green tea has a ratio of the concentration of catechols to the concentration of caffeine of between 2 and 10.

15. (Amended) [Process] A method according to [one of Claims] Claim 11 [to 14, characterized in that], wherein the extract of green tea is titrated so as to allow the administration of a daily dose of from 250 mg to 500 mg[, preferably about 375 mg,] of

catechols per day, and from 50 mg to 200 mg[, preferably about 150 mg,] of caffeine per day.

Please add claims 16-20 as follows:

--16. A composition according to Claim 5, wherein the extract of green tea is titrated so as to allow the administration of a daily dose of about 375 mg of catechols per day, and about 150 mg of caffeine per day.

17. A method according to Claim 7, wherein the extract of green tea contains from 20% to 30% by mass of catechols expressed as epigallocatechol gallate (EGCG).

18. A method according to Claim 10, wherein the extract of green tea is titrated so as to allow the administration of a daily dose of about 375 mg of catechols per day, and about 150 mg of caffeine per day.

19. A method according to Claim 12, wherein the extract of green tea contains from 20% to 30% by mass of catechols expressed as epigallocatechol gallate (EGCG).

20. A method according to Claim 15, wherein the extract of green tea is titrated so as to allow the administration of a daily dose of from about 375 mg of catechols per day, and about 150 mg of caffeine per day.--

REMARKS


Entry of the foregoing and favorable consideration of the subject application, in light of the following remarks, are respectfully requested.

By the foregoing amendment, the claims have been amended to remove the multiple dependencies and to place such claims in standard U.S. form. New claims 16-20 contain the subject matter canceled from claims 5, 7, 10, 12 and 15. No new matter has been added by the foregoing amendment.

In the event that there are any questions relating to this Preliminary Amendment, or the application in general, it would be appreciated if the Examiner would telephone the undersigned attorney concerning such questions so that prosecution of this application may be expedited.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By: 
Susan M. Dadio
Registration No. 40,373

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Date: July 25, 2000

COMPOSITION FOR TREATING OBESITY AND ESTHETIC TREATMENT
PROCESS

5 The present invention relates to the general field of treating obesity. The invention is directed in particular toward compositions for the curative and prophylactic treatment of obesity, but it also relates to the esthetic treatment of a human being to enhance his or her figure.

10 The therapeutic objective as regards obesity is well defined: it is a matter either of allowing the individual to lose a significant amount of weight, or of helping the individual to maintain a weight level which is as low as desired.

15 Several types of approach have been envisaged to date.

Nutritional approaches are directed toward reducing the supply of energy in the form of foods. This can be achieved either by drastically reducing the energy supplies or by replacing high-energy nutrients with others which are lower in energy: such as indigestible substitute fats, structured triglycerides which are difficult to assimilate or dietary fibers which cannot be assimilated.

25 The therapeutic approaches may have a variety of targets.

· Reducing the food intake may be the first objective. Attempts to reduce the food intake may be made by using anorexigenic substances, whose short-term effects are proven, but whose duration of use is limited on account of adverse side effects. In fact, very few of these products can truly be used and their long-term efficacy remains highly debated. New molecules are undergoing assessment or may do so in the near future, but their value still remains to be shown.

· A second objective may be to increase the expenditure of energy by using thermogenic substances which act at the central or peripheral level. The use of these substances still remains limited.

· A third objective is to reduce the assimilation of the dietary lipids, or optionally even that of the carbohydrates. This is a more recent approach, but is gaining in interest. A reduction in the assimilation of the dietary lipids may be obtained either by reducing the activity of the digestive enzymes concerned, or by modifying the properties of the interfaces transporting the lipid molecules, emulsions, vesicles or micelles.

The traditional use of tea is in the form of an infusion, for which the tip of the stems, comprising the last two leaves and the bud, are used. After harvesting, these leaves may be subjected to a fermentation, resulting in a transformation of the chemical substances they contain and in particular the catechols, which corresponds to black tea, or else may be dried immediately, thus giving green tea.

Besides catechols, tea contains caffeine, the diuretic effect of which is well known. This diuretic effect is the reason for the traditional use of green tea as a medicinal plant to promote the elimination of water by the kidneys, either in the case of urinary disorders or as a supplement to weight-reducing diets. The presence of caffeine is also the reason for the traditional use of tea in conditions of fatigue (asthenia).

Numerous epidemiological studies carried out on certain populations have clearly demonstrated the beneficial effects of the chronic ingestion of tea, and more particularly of green tea. Thus, the long-term consumption of green tea is thought to be anti-atherogenic on account of its hypocholesterolemiatic effects (Muramatsu et al. 1986, Yang et al. 1997) and its ability to prevent the oxidation of LDLs in the circulation (Tijburg et al. 1997). Green tea is also known for its anti-mutagenic and anti-carcinogenic effects. Thus, it has been shown that green tea significantly reduces the risk of colorectal, skin and breast cancers (Blot et al. 1997, Conney et al. 1997,

Dreosti et al. 1997, Jankun et al. 1997, Ji et al. 1997).

The traditional use of green tea as a diuretic is currently performed in the form of infusions, liquid
5 extracts, extracts of plant powders or extracts in gel capsules or tablets. In these various forms, the green tea, often combined with another diuretic plant, is generally used at a dose corresponding to 1 to 3 g of plant per day.

10 In the context of screening pharmacological properties of various plants, it has been discovered that extracts of green tea have noteworthy properties which allow them to be used in the treatment of obesity.

15 The human body continually expends energy in order to function. The origins of this expenditure of energy are threefold: the metabolism, muscular work and thermogenesis, which corresponds to the energy expended by the body to maintain a constant temperature.

20 The expenditure of energy is compensated for by the energy supplied by the assimilation of foods. If the energy supplied from the dietary ration is strictly identical to the energy expended, the individual maintains a stable weight. If there is an excess supply
25 of energy, the body stores this energy in the form of fats (increase in weight), and if there is a deficit in the supply of energy, the body draws the energy it lacks by burning off the fats stored (loss of weight). However, in this latter situation of an energy deficit
30 encountered in the course of weight-reducing diets, the body reacts to save energy and reduce thermogenesis. This is the control mechanism which accounts for the failure of weigh-reducing diets. Specifically, after losing weight for a few weeks, the individual's weight
35 stabilizes. If they wish to continue to slim, they must further reduce their food intake.

The full value of being able continually to increase thermogenesis, in particular in the course of a low-calorie diet during which it is lowered, may thus

be appreciated. Various chemical substances stimulate thermogenesis, such as nicotine, ephedrine, aspirin, caffeine, etc., but none of them has made it possible to produce a medicinal product for treating obesity since the doses required to obtain an increase in thermogenesis entail considerable side effects, which are incompatible with a treatment which is necessarily long-lasting, generally extending over several months.

This objective has been achieved in accordance with the present invention by means of a composition for the curative and prophylactic treatment of obesity, comprising an extract of green tea, *Camellia sinensis*, which is rich in catechols.

The present invention is also directed toward the use of an extract or powder of green tea which has anti-lipase and/or thermogenic properties, for the manufacture of a medicinal product intended for the curative and prophylactic treatment of obesity.

Finally, the present invention relates to a process for the esthetic treatment of a human being in order to enhance his or her figure, characterized in that it involves the oral administration of a catechol-enriched extract of green tea in order to bring about a loss of weight or to maintain a weight level which is as low as desired.

In the context of the present invention, the extract of green tea contains from 20% to 50%, in particular from 20% to 30%, by mass of catechols expressed as epigallocatechol gallate (EGCG).

The content of catechols, expressed as epigallocatechol gallate (EGCG), is, for example, advantageously determined in the context of the present invention by using the analytical method described below.

The process is performed by liquid chromatography.

Solution to be examined: 80 ml of methanol R are added to 0.200 g of extract. The mixture is placed under magnetic stirring for 5 min and then in an

ultrasound bath for 5 min. The resulting mixture is filtered through paper and the volume is made up to 100 ml with the same solvent. This solution is diluted fivefold with methanol R.

5 Caffeine stock solution: 30 mg of caffeine are dissolved in methanol and made up to 100 ml with the same solvent.

10 Epigallocatechol gallate stock solution: 6 mg of epigallocatechol gallate (EGCG) are dissolved in methanol and made up to 10 ml with the same solvent.

Control solution: 1 ml of each stock solution is taken and made up to 10 ml with the same solvent.

The chromatography can be carried out using:

- 15 - a stainless steel column of length 250 mm and inside diameter 4.6 mm, filled with octadecylsilyl silica gel for chromatography R (5 μ m) and thermostatically maintained at 20°C (Nucleosil C18) and a precolumn having the same characteristics as the column,
- 20 - as mobile phase, at a flow rate of 1 ml/min, a mixture of aqueous 2% V/V glacial acetic acid solution (A) and of acetonitrile (B), the linear elution gradient of which is as follows:

Time (min)	A (%)	B (%)
0	95	5
5	95	5
10	90	10
17	85	15
30	82	18
35	82	18
40	95	5

25

- as detector, a spectrophotometer set at 278 nm.

10 μ l of each of the solutions are injected separately, at least twice. The sensitivity of the
30 detector is adjusted so as to obtain peaks whose height

represents at least 50% of the total scale of the recorder.

The percentage caffeine content is calculated using the following expression:

5

$$\frac{SCE}{SCT} \times \frac{MCT}{MCE} \times 0.05$$

SCE: area of the peak corresponding to caffeine in the chromatogram obtained with the solution to be examined

10 SCT: area of the peak corresponding to caffeine in the chromatogram obtained with the control solution

MCE: test sample of extract in the solution to be examined, expressed in grams

15 MCT: test sample of caffeine in the control solution, expressed in milligrams.

The percentage content of catechols expressed as epigallocatechol gallate (EGCG) is calculated using the following expression:

20

$$\frac{\Sigma SE}{ST} \times \frac{MT}{ME} \times 0.5$$

ΣSE : sum of the areas of the peaks (2-5-6-7-8) corresponding to catechols in the chromatogram obtained with the solution to be examined

25 ST: area of the peak corresponding to the EGCG in the chromatogram obtained with the control solution

ME: test sample of extract in the solution to be examined, expressed in grams

30 MT: test sample of EGCG in the control solution, expressed in milligrams.

It should be pointed out that the epigallocatechol gallate represents on average about 70% of all the catechols present in an extract of green tea, with a range of between 50% and 90%.

35 According to one particular characteristic of the present invention, the extract of green tea contains from 5% to 10% by mass of caffeine.

According to another characteristic of the invention, the extract of green tea has a ratio of the concentration of catechols to the concentration of caffeine of between 2 and 10.

5 According to one preferred characteristic of the invention, the extract of green tea is titrated so as to allow the administration of a daily dose of from 250 mg to 500 mg, preferably about 375 mg, of catechols per day, and from 50 mg to 200 mg, preferably about
10 150 mg, of caffeine per day.

The increase in thermogenesis in rats by an extract of green tea according to the invention was studied according to the following protocol:

15 The oxygen consumption of rats, maintained in a hermetic chamber for two hours and more, is measured after administering the test product. Since the expenditure of energy is proportional to the oxygen consumption, this technique makes it possible to measure the increase in thermogenesis, the basal
20 metabolism and the muscular work being constant before and after treatment.

The test product was an extract of green tea containing 24.7% catechols and 8.35% caffeine.

The following results were obtained:

25 Controls: $0.06 \text{ w/kg}^{0.75}$
0.5 mg of extract/kg: $0.45 \text{ w/kg}^{0.75}$
1.0 mg of extract/kg: $0.81 \text{ w/kg}^{0.75}$
2.0 mg of extract/kg: $1.10 \text{ w/kg}^{0.75}$

30 The increase in thermogenesis in man by an extract of green tea according to the invention was also determined.

A similar study was carried out on 10 volunteers receiving at each meal either 500 mg of an extract of green tea (corresponding to 125 mg of
35 catechols and 50 mg of caffeine), or 50 mg of caffeine, or a placebo.

The total expenditure of energy over 24 h showed a statistically significant increase ($p < 0.01$)

in favor of the extract: 9867 kJ compared with 9538 kJ for the placebo and 9599 kJ for caffeine.

These results demonstrate the ability of an extract of green tea according to the invention to significantly increase thermogenesis. This property is not associated with the caffeine content of the extract, since the administration of caffeine alone, at the same dose as that provided by the extract of green tea, does not increase thermogenesis.

Furthermore, the fact that the significant decrease in the Respiratory Quotient is not accompanied by an increase in the urinary excretion of nitrogen, makes it possible to conclude that there has been an increase in the oxidation of lipids, which is the desired aim in any treatment of obesity.

Finally, it has been possible to demonstrate that the extract of green tea according to the invention leads to an inhibition of the digestive lipases. An in vitro study made it possible to demonstrate that the extract of green tea, at a dose of 6 mg of extract per 100 mg of lipids, partially eliminates the emulsification of the lipids, both in the stomach and in the intestine. As it is known that the emulsification of lipids is the essential step in the action of lipases on food lipids, these results may account for the inhibitory ability of digestive lipases.

Another in vitro study, carried out under conditions reproducing the physiological conditions (successive action on triolein of gastric lipase and then of pancreatic lipase) demonstrated that the extract of green tea, at a dose of 6 mg/100 mg of lipids, allows virtually total inhibition of the gastric lipase (89% inhibition) and partial inhibition of the pancreatic lipase (32% inhibition), i.e. a total inhibition of lipolysis of close to 40%.

The use of a powder of green tea which has an intrinsically lower dose of catechols and/or caffeine, but in a larger amount making it possible to

manufacture a medicinal product which has anti-lipase and/or thermogenic properties, obviously also falls within the context of the present invention.

In the context of the present invention, in vitro studies were carried out to demonstrate the existence of synergy between epigallocatechol gallate and caffeine. These studies were carried out on an ex vivo pharmacological model of thermogenesis. The principle is to measure the oxygen consumption of a sample of rat brown adipose tissue; the oxygen consumption is proportional to the thermogenesis induced in the adipose tissue by the various test substances.

The results below indicate the increase in oxygen consumption as a function of the concentration of EGCG and/or of caffeine.

Caffeine	100 μ M	0	0	100 μ M	100 μ M
EGCG	0	100 μ M	200 μ M	100 μ M	200 μ M
Increase in oxygen consumption	no effect	no effect	+ 40%	no effect	+ 140%

These results clearly demonstrate the existence of synergistic stimulation of thermogenesis for a concentration of 200 μ M of EGCG and 100 μ M of caffeine, i.e. an EGCG/caffeine ratio of 2.

Given the other pharmacological effects of caffeine (tachycardia, insomnia), it may thus be desirable, in order to increase thermogenesis, to limit the amount of caffeine and to increase the EGCG/caffeine ratio. For this reason, according to one advantageous variant of the invention, this ratio will preferably be between 2 and 10.

Example of obtaining an extract of green tea

Green tea contains on average 6% to 7% catechols and 2% to 3% caffeine.

In order to obtain the properties of increasing thermogenesis and of inhibiting digestive lipases which

are described above, a sufficient supply of catechols is necessary. It is thus necessary to carry out an extraction of the green tea making it possible to obtain an extract which is sufficiently concentrated in catechols.

By way of example, the following extraction process can be used: 1 kg of the tips of ground stems, comprising the last two leaves and the bud, of green tea are extracted by percolation for 6 to 8 h with 10 kg of 80% ethanol (m/m). After filtration, the extract is concentrated under partial vacuum at a maximum temperature of 60°C. The concentrated extract is then spray-dried at a maximum temperature of 250°C with or without maltodextrin, depending on the plotter specifications selected. This process gives an extract containing 20% to 30% catechols and 5% to 10% caffeine.

This example is not limiting, and other extraction processes for obtaining an extract which is sufficiently rich in catechols can be used, in particular by varying the proportions of water and ethanol, or by using other solvents such as water, ethyl acetate, methanol, etc., alone or in combination. The choice of solvents selected will make it possible to vary the catechol and caffeine contents, the objective being a high catechol content, since the catechols are the main source of the pharmacological properties demonstrated above.

In this context, the use of green tea which has been partially decaffeinated beforehand by any extraction process which does not have a negative effect on the catechols (for example methylene chloride or supercritical carbon dioxide) may be entirely envisaged in order to obtain a tea extract containing only a small percentage of caffeine.

Without at all wishing to be limited to such an interpretation, it appears likely that the mechanism of activity of the extracts of green tea, which is the subject of the present invention, can be explained as follows. The catechols present in high concentration in

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
84

CLAIMS

1. Composition for the curative and prophylactic treatment of obesity, comprising an extract of green tea containing from 20% to 50% by mass of catechols expressed as epigallocatechol gallate (EGCG).
2. Composition according to Claim 1, characterized in that the extract of green tea contains from 20% to 30% by mass of catechols expressed as epigallocatechol gallate (EGCG).
3. Composition according to either of Claims 1 and 2, characterized in that the extract of green tea contains from 5% to 10% by mass of caffeine.
4. Composition according to one of Claims 1 to 3, characterized in that the extract of green tea has a ratio of the concentration of catechols to the concentration of caffeine of between 2 and 10.
5. Composition according to one of Claims 1 to 4, characterized in that the extract of green tea is titrated so as to allow the administration of a daily dose of from 250 mg to 500 mg, preferably about 375 mg, of catechols per day, and from 50 mg to 200 mg, preferably about 150 mg, of caffeine per day.
6. Use of an extract or powder of green tea for the manufacture of a medicinal product which has anti-lipase and/or thermogenic properties, and which is intended for the curative and prophylactic treatment of obesity.
7. Use according to Claim 6, characterized in that the extract of green tea contains from 20% to 50%, preferably from 20% to 30%, by mass of catechols expressed as epigallocatechol gallate (EGCG).
8. Use according to either of Claims 6 and 7, characterized in that the extract of green tea contains from 5% to 10% by mass of caffeine.
9. Use according to one of Claims 6 to 8, characterized in that the extract of green tea has a ratio of the concentration of catechols to the concentration of caffeine of between 2 and 10.

10. Use according to one of Claims 6 to 9, characterized in that the extract of green tea is titrated so as to allow the administration of a daily dose of from 250 mg to 500 mg, preferably about 375 mg, of catechols per day, and from 50 mg to 200 mg, preferably about 150 mg, of caffeine per day.

11. Process for the esthetic treatment of a human being in order to enhance his or her figure, characterized in that it involves the oral administration of a catechol-enriched extract of green tea in order to bring about a loss of weight or to maintain a weight level which is as low as desired.

12. Process according to Claim 11, characterized in that the extract of green tea contains from 20% to 50%, preferably from 20% to 30%, by mass of catechols expressed as epigallocatechol gallate (EGCG).

13. Process according to either of Claims 11 and 12, characterized in that the extract of green tea contains from 5% to 10% by mass of caffeine.

14. Process according to one of Claims 11 to 13, characterized in that the extract of green tea has a ratio of the concentration of catechols to the concentration of caffeine of between 2 and 10.

15. Process according to one of Claims 11 to 14, characterized in that the extract of green tea is titrated so as to allow the administration of a daily dose of from 250 mg to 500 mg, preferably about 375 mg, of catechols per day, and from 50 mg to 200 mg, preferably about 150 mg, of caffeine per day.

ABSTRACT

The invention relates to a composition for the curative and prophylactic treatment of obesity, comprising a catechol-rich extract of green tea, in particular containing from 20% to 50% by mass of catechols expressed as epigallocatechol gallate (EGCG).

**COMBINED DECLARATION AND POWER OF ATTORNEY
FOR UTILITY PATENT APPLICATION**

Attorney's Docket No.

017753-127

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL, FIRST AND JOINT INVENTOR (if more than one name is listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:

COMPOSITION FOR TREATING OBESITY AND ESTHETIC TREATMENT PROCESS

the specification of which

(check one)

☐

is attached hereto;

☒

was filed on JANUARY 14, 2000 as

International Application No. PCT/FR00/00065

and was amended on _____;
(if applicable)

I HAVE REVIEWED AND UNDERSTAND THE CONTENTS OF THE ABOVE-IDENTIFIED SPECIFICATION, INCLUDING THE CLAIMS, AS AMENDED BY ANY AMENDMENT REFERRED TO ABOVE;

I ACKNOWLEDGE THE DUTY TO DISCLOSE TO THE OFFICE ALL INFORMATION KNOWN TO ME TO BE MATERIAL TO PATENTABILITY AS DEFINED IN TITLE 37, CODE OF FEDERAL REGULATIONS, Sec. 1.56 (as amended effective March 16, 1992);

I do not know and do not believe the said invention was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to said application; that said invention was not in public use or on sale in the United States of America more than one year prior to said application; that said invention has not been patented or made the subject of an inventor's certificate issued before the date of said application in any country foreign to the United States of America on any application filed by me or my legal representatives or assigns more than twelve months prior to said application;

I hereby claim foreign priority benefits under Title 35, United States Code Sec. 119 and/or Sec. 365 of any foreign application(s) for patent or inventor's certificate as indicated below and have also identified below any foreign application for patent or inventor's certificate on this invention having a filing date before that of the application(s) on which priority is claimed:

COMBINED DECLARATION AND POWER OF ATTORNEY

Attorney's Docket No.

017753-127

COUNTRY/INTERNATIONAL

APPLICATION NUMBER

DATE OF FILING
(day, month, year)PRIORITY
CLAIMED

FRANCE

99/00328

14 JANUARY 1999

YES X NO YES NO

I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:

William L. Mathis	17,337	Ralph L. Freeland, Jr.	16,110	William C. Rowland	30,888
Peter H. Smolka	15,913	Robert G. Mukai	28,531	T. Gene Dillahunty	25,423
Robert S. Swecker	19,885	George A. Hovanec, Jr.	28,223	Anthony W. Shaw	30,104
Platon N. Mandros	22,124	James A. LaBarre	28,632	Patrick C. Keane	32,858
Benton S. Duffett, Jr.	22,030	E. Joseph Gess	28,510	Bruce J. Boggs, Jr.	32,344
Joseph R. Magnone	24,239	R. Danny Huntington	27,903	William H. Benz	25,957
Norman H. Stepno	22,716	Eric H. Weisblatt	30,505	Peter K. Skiff	31,917
Ronald L. Grudziecki	24,970	James W. Peterson	26,057	Richard J. McGrath	29,195
Frederick G. Michaud, Jr.	26,003	Teresa Stanek Rea	30,427	Matthew L. Schneider	32,814
Alan E. Kopecki	25,813	Robert E. Krebs	25,885	Michael G. Savage	32,596
Regis E. Slutter	26,999	Robert M. Schulman	31,196	Gerald F. Swiss	30,113
Samuel C. Miller, III	27,360				

and:

Address all correspondence to:

Norman H. Stepno
Burns, Doane, Swecker & Mathis, LLP
 P.O. Box 1404
 Alexandria, Virginia 22313-1404

Address all telephone calls to: Norman H. Stepno at (703) 836-6620.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE OR FIRST INVENTOR

ROMBI Max

SIGNATURE

DATE

July 24, 2000

RESIDENCE

BORDIGHERA, ITALY

CITIZENSHIP

French

POST OFFICE ADDRESS

Via Degli Inglesi 49, BORDIGHERA 18022, ITALY

FULL NAME OF SECOND JOINT INVENTOR, IF ANY

SIGNATURE

DATE

RESIDENCE

CITIZENSHIP

POST OFFICE ADDRESS

FULL NAME OF THIRD JOINT INVENTOR, IF ANY

SIGNATURE

DATE

RESIDENCE

CITIZENSHIP

POST OFFICE ADDRESS